


Custom Mouse Cursors

The Cursor property allows you set the type of hardware mouse cursor image that is used when over the active window, or game. There are several standard ones built-in provided by the OS: arrow, ibeam, crosshair, hand, hresize, vresize and default.

```
[Display]  
Cursor = hand
```




Alternatively, a very nifty feature is to provide your own image as the cursor (png, jpg, bmp, tga or webp are all supported). Great for games where a fancy cursor is needed, ie:



```
[Display]  
Cursor = amiga-cursor.png
```

By default, this will place the cursor's hotspot in the top left corner. You can move this hotspot by providing an optional vector, ie:


```
[Display]  
cursor = amiga-cursor.png # (10, 10)
```



And like a normal cursor, it will hang outside the bounds of the window when you are the right or bottom extremes. Very nice.

You can change cursors using the [Orx Console](#). Press the ~ key to open the console and type:

```
Mouse.SetCursor crosshair
```



Finally, you can set a mouse cursor in code:

```
orxMouse_SetCursor("amiga-cursor.png", orxNULL);
```

This will set the cursor to the amiga arrow, and keep the default hotspot by using `orxNULL`. Change the hotspot position using a vector like:

```
orxVECTOR hotspot = orxVECTOR_0;  
hotspot.fX = 10;  
hotspot.fY = 10;
```

```
orxMouse_SetCursor("amiga-cursor.png", &hotspot);
```

Hiding the mouse cursor

If you don't want a cursor to display at all then you won't want to show it. You can use the ShowCursor in the Mouse section. See [Mouse Config inputs](#) for more details.

From:

<https://wiki.orx-project.org/> - **Orx Learning**

Permanent link:

https://wiki.orx-project.org/en/tutorials/display/custom_mouse_cursor

Last update: **2021/06/26 06:26 (4 years ago)**

